

# Hwa Yao Technologies Co., Ltd

## 華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: [sales@hwayaotek.com.tw](mailto:sales@hwayaotek.com.tw) <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870




## 2.4G CPE V Antenna 18dBi (CTV-2450-18)

This CPE antenna delivers extended access point range in a single floor environment ideally positioned in the corner of a building. It functions from point-to-point so that you can wirelessly connect LANs between the buildings in a campus-type environment.



- Designed for wireless LAN communications
- Mounts easy for outdoor or indoor application.
- Designed to obtain maximum gain
- Made with weatherproof and corrosion resistant

Technical Information	
Frequency :	2400 - 2483MHz
Polarization:	Vertical
Gain:	18dBi
Beam width deg:	Horz.35°Vert.18°
VSWR:	≤ 1.5:1
Impedance:	50 ohm
Dimensions	
Size:	L253 x W253 x H70mm
Weight:	1300g
Connector:	SMA-type / Female



# Hwa Yao Technologies Co., Ltd

## 華耀科技有限公司



NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.


Email: [sales@hwayaotek.com.tw](mailto:sales@hwayaotek.com.tw) <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870



### TESTING REPORT: 1. VSWR





# Hwa Yao Technologies Co., Ltd

## 華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: [sales@hwayaotek.com.tw](mailto:sales@hwayaotek.com.tw) <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870



### TESTING REPORT: 2.Pattern

