

Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870



2.4G Omni Antenna 12dBi (OA-2450-12)



This OMNI antenna is an OMNI directional type that will increase signal range and strength greatly in a sphere shape. It comes with a very good fitting kit that includes high quality brackets nuts, bolts and washers. It can be used to cover 360 degree pops


- Designed for wireless LAN communications
- Mounts easy for outdoor or indoor application.
- Designed to obtain maximum gain
- Made with weatherproof and corrosion resistant

Technical Information

Frequency :	2400 - 2483MHz
Gain:	12dBi
Polarization:	Vertical
Beamwidth deg:	Horz.360°Vert.7°
VSWR:	≤ 1.5:1
Impedance:	50 ohm

Dimensions

Size:	L1420mm
Weight:	850g
Connector:	N-type / Female



Hwa Yao Technologies Co., Ltd

華耀科技有限公司


NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.


Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870



TESTING REPORT: 1. VSWR





Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870



TESTING REPORT: 2.Pattern

