

# Hwa Yao Technologies Co., Ltd

## 華耀科技有限公司


NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: [sales@hwayaotek.com.tw](mailto:sales@hwayaotek.com.tw) <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870




## 1.71~2.17G Panel Antenna II 14dBi (PAII-1721-14N-F)



- 1710MHz-1880MHz Antenna from DCS1800,GSM1800,1.8GHz,2G
- 1850MHz-1990MHz Antenna from PCS1900,GSM1900,1.9G
- 1900MHz-2170MHz Antenna from PCS2000,GSM2000,3G
- Mounts easily for outdoor applications

Technical Information	
Frequency :	1710 - 2170MHz
Gain:	14dBi
Polarization:	Vertical
Beamwidth deg:	Horz.20°Vert.20°
VSWR:	≤ 1.5:1
Impedance:	50 ohm
Dimensions	
Size:	L239 x W239 x H30mm
Weight:	774.50g
Connector:	N-type / Female
Case Design	Water Resistance
Radome Color	White
Radome Material	ABS
Temperature Range	-30 to +75 ° C
Storage Temperature	-45 to +75 ° C
Mounting Hardware	Gear Clamp



# Hwa Yao Technologies Co., Ltd

## 華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: [sales@hwayaotek.com.tw](mailto:sales@hwayaotek.com.tw) <http://www.hwayaotek.com.tw>



TEL: +886-6-2712809 FAX : +886-6-2712870




### TESTING REPORT:

#### 1. Return Loss

#### 2. V.S.W.R





# Hwa Yao Technologies Co., Ltd

## 華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: [sales@hwayaotek.com.tw](mailto:sales@hwayaotek.com.tw) <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870



### TESTING REPORT:

#### 3.Pattern

