

Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870




2.3~2.5G Panel Antenna II 12dBi (PAII-2325-12N-F)



This panel antenna delivers extended access point range in a single floor environment ideally positioned in the corner of a building. It functions from point-to-point so that you can wirelessly connect LANs between the buildings in a campus-type environment.

- Designed for wireless LAN communications
- Mounts easy for outdoor or indoor application.
- Designed to obtain maximum gain
- Made with weatherproof and corrosion resistant

Technical Information	
Frequency :	2300 - 2500MHz
Polarization:	Vertical
Gain:	12dBi
Beamwidth deg:	Horz.65°Vert.28°
VSWR:	≤ 1.5:1
Impedance:	50 ohm
Dimensions	
Size:	L215 x W90 x H30mm
Weight:	360g
Connector:	N-type / Female



Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>


TEL: +886-6-2712809 FAX : +886-6-2712870




TESTING REPORT:

1. Return Loss

2. V.S.W.R





Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870



TESTING REPORT:

3.Pattern

