

Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870




2.3~2.5G Panel Antenna II 18dBi (PAII-2325-18)



This panel antenna delivers extended access point range in a single floor environment ideally positioned in the corner of a building. It functions from point-to-point so that you can wirelessly connect LANs between the buildings in a campus-type environment.

| Technical Information | |
|-----------------------|---------------------|
| Frequency : | 2300 - 2500MHz |
| Polarization: | Vertical |
| Gain: | 18dBi |
| Beamwidth deg: | Horz.35°Vert.18° |
| VSWR: | ≤ 1.5:1 |
| Impedance: | 50 ohm |
| Dimensions | |
| Size: | L290 x W290 x H35mm |
| Weight: | 1050g |
| Connector: | N-type / Female |

- Designed for wireless LAN communications
- Mounts easy for outdoor or indoor application.
- Designed to obtain maximum gain
- Made with weatherproof and corrosion resistant



Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>



TEL: +886-6-2712809 FAX : +886-6-2712870




TESTING REPORT:

1.Return Loss

2. V.S.W.R





Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870



TESTING REPORT:

3.Pattern

