

Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870




PANEL Antenna II 2.6GHz 15dBi for N FEMALE (PAII-2600-15N-F)



This panel antenna delivers extended access point range in a single floor environment ideally positioned in the corner of a building. It functions from point-to-point so that you can wirelessly connect LANs between the buildings in a campus-type environment.

- Designed for wireless LAN communications
- Mounts easy for outdoor or indoor application.
- Designed to obtain maximum gain
- Made with weatherproof and corrosion resistant

Technical Information	
Frequency :	2500 - 2700MHz
Polarization:	Vertical
Gain:	15dBi
Beamwidth deg:	Horz.32°Vert.30°
VSWR:	≤ 1.5:1
Impedance:	50 ohm
Dimensions	
Size:	L239 x W2390 x H30mm
Weight:	774.5g
Connector:	N-type / Female



NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>



TEL: +886-6-2712809 FAX : +886-6-2712870




TESTING REPORT:

1. Return Loss

2. V.S.W.R





Hwa Yao Technologies Co., Ltd
華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870



TESTING REPORT:

3.Pattern

