

Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870




PANEL Antenna II 3.5GHz 14dBi for N FEMALE (PAII-3500-14N-F)

This panel antenna delivers extended access point range in a single floor environment ideally positioned in the corner of a building. It functions from point-to-point so that you can wirelessly connect LANs between the buildings in a campus-type environment



- Designed for wireless LAN communications
- Mounts easy for outdoor or indoor application.
- Designed to obtain maximum gain.
- Made with weatherproof and corrosion resistant.

Technical Information	
Frequency :	3400 - 3600MHz
Polarization:	14dBi
Gain:	Vertical
Beamwidth deg:	Horz:22 °Vert: 20°
VSWR:	≤ 1.5:1
Impedance:	50 ohm
Dimensions	
Size:	L239×W239×H30mm
Weight:	774.5g
Connector:	N-type / Female



Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>



TEL: +886-6-2712809 FAX : +886-6-2712870




TESTING REPORT:

1.Return Loss

2. V.S.W.R





Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>


TEL: +886-6-2712809 FAX : +886-6-2712870



TESTING REPORT:

3.Pattern

Horz



Vert

