

Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870



2.4G Omni(H)slotted 12dBi (SA-2450-12)



This Slotted antenna delivers extended access point range in a single floor environment ideally positioned in the corner of a building. It functions from point-to-point so that you can wirelessly connect LANs between the buildings in a campus-type environment. It provides multiform transmission when placed


- Provides extended coverage for an existing 802.11b and 802.11g wireless LANS
- Made with weatherproof and corrosion resistant
- Mounts easily for outdoor applications
- Designed to obtain maximum gain

Technical Information

Frequency :	2400 - 2483MHz
Gain:	12dBi
Polarization:	Horizontal
Beamwidth deg:	Horz.7°Vert.360°
VSWR:	≤ 1.5:1
Impedance:	50 ohm

Dimensions

Size:	L800 x W100 x H50mm
Weight:	1700g
Connector:	N-type / Female



Hwa Yao Technologies Co., Ltd

華耀科技有限公司



NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.


Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870



TESTING REPORT: 1. VSWR





Hwa Yao Technologies Co., Ltd

華耀科技有限公司

NO.6 ,Ln.48, Nansing Rd., Yong Kang City, Tainan County 710, Taiwan, R.O.C.

Email: sales@hwayaotek.com.tw <http://www.hwayaotek.com.tw>

TEL: +886-6-2712809 FAX : +886-6-2712870



TESTING REPORT:

2.Pattern

